


# IT9313

CABLE CROSSOVER

## OWNER'S MANUAL



### **! CAUTION**

Read all precautions  
and instructions in this manual  
before using this equipment

**! CAUTION**

Read all precautions and instructions in this manual before using this equipment.

**Table Of Contents**

Important Safety Instructions-----	3
Instructions-----	4
Parts List-----	5
Exploded View -----	7
Measurement Guide-----	8
Assembly Instructions-----	9
Assembly-----	10
Exercise Instructions-----	17
Maintenance Schedule-----	19
General Maintenance Information-----	20
Weight Training Tips-----	21

## Important Safety Instructions

Before beginning any fitness program, you should obtain a complete physical examination from your physician. When using exercise equipment, basic precautions should always be taken, including the following:

- \* Read all instructions before using the equipment. These instructions are written to ensure your safety and to protect the unit.
- \* Do not allow children on or near the equipment.
- \* Use the equipment only for its intended purpose as described in this guide. Do not use accessory attachments that are not recommended by the manufacturer: such attachments might cause injuries.
- \* Wear proper exercise clothing and shoes for your workout----no loose clothing.
- \* Be careful when getting on or off the equipment.
- \* Do not overexert yourself or work to exhaustion.
- \* If you feel any pain or abnormal symptoms, stop your workout immediately and consult your physician.
- \* Never operate the unit when it has been dropped or damaged.
- \* Never drop or insert anything into any opening in the equipment.
- \* Always check the unit and its cables before each use. Make sure that all fasteners and cables are secure and in good working condition.
- \* Frayed or worn cables can be dangerous and may cause injury. Periodically check these cables for any indication of wear.
- \* Keep hands, limbs, loose clothing and long hair well out of the way of moving parts.
- \* Do not attempt to lift more weight than you can control safely.
- \* Do not use the equipment outdoors.

### Personal Safety During Assembly


- \* Read each step in the assembly instructions and follow the steps in sequence. Do not skip ahead. If you skip ahead, you may learn later that you have to disassemble components and that you may have damaged the equipment.
- \* Assemble and operate the equipment on a solid, level surface. Locate the unit a few feet from walls or furniture to provide easy access. The equipment is designed for your enjoyment. By following these precautions and using common sense, you will have many safe and pleasurable hours of healthful exercise with the equipment.

## Instructions


Before beginning assembly please take the time to read instructions thoroughly. Please use the various lists in this manual to make sure that all parts have been included in your shipment. When ordering, use part number and description from the lists. Use only our replacement part when servicing. Failure to do so will void your warranty and could result in personal injury.

The equipment is designed to provide the smoothest, most effective exercise motion possible. After assembly, you should check all functions to ensure correct operation. If you experience problems, first recheck the assembly instructions to locate any possible errors made during assembly. If you are unable to correct the problem, call your authorized dealer. Be sure to have your serial number and this manual when calling. When all parts have been accounted for, continue on.


## Tools Required




Ratchet Wrench and Socket



Adjustable Wrench



Rubber Mallet



Hex Key Wrench Set

## Parts List

**NOTE: SOME OF THESE PARTS MAY COME PRE-INSTALLED**


Item No.	Description	Qty	Item No.	Description	Qty
1	Inner Base	2	19	Pop Pin	2
2	Main Base	2	20	4.5" Pulley	8
3	Middle Base	2	21	3.5" Pulley	10
4	Top Cross Tube	1	22	Lat Strap	2
5	Slide Guide Tube	2	23	Ankle Strap	2
6	Left Slide Frame	1	24	Plastic Sleeve 2.5"*2"	4
7	Right Slide Frame	1	25	Plug $\Phi$ 32	8
8	Guide Rod	4	26	Mushroom Plug $\Phi$ 25	2
9	Left Support	1	27	Grip $\Phi$ 30* $\Phi$ 24*270	2
10	Right Support	1	28	Grip $\Phi$ 40* $\Phi$ 30*530	2
11	Double Pulley Block	2	29	Gear Hook	2
12	Chin-up Handle	1	30	Top Plate	2
13	Large Metal Plate	1	31	Weight Plate Unit (200LBS)	2
14	Weight Shroud	4	32	Weight Pin	2
15	Swivel Pulley Block	2	33	Bronze Bushing	4
16	Pulley Spacer	8	34	Weight Bumper	4
17	Cable	2	35	Hex Head Bold M12*80	4
18	Jam Nut	2	36	Hex Head Bold M12*150	2

## Parts List


**NOTE: SOME OF THESE PARTS MAY COME PRE-INSTALLED**

Item No.	Description	Qty	Item No.	Description	Qty
37	Botton Head Cap Screw M10*15	16	54	Hex Key S=8	1
38	Hex Head Bold M10*35	2	55	Curl Bar	1
39	Hex Head Bold M10*50	6	56	Low Lat Bar	1
40	Hex Head Bold M10*65	8	57	Philip Screws M5*16	12
41	Hex Head Bold M10*115	2	58	Connect Shaft	6
42	Hex Head Bold M10*130	10	59	ABS Board	2
43	Socket Head Cap Screw M10*50	8	60	Washer $\Phi 5.5 \times \Phi 11 \times 1$	6
44	Socket Head Cap Screw M10*25	4	61	Plastic Washer	6
45	Flat Washer $\Phi 13 \times \Phi 24 \times 1.5$	8	62	Bolt Covers	6
46	Flat Washer $\Phi 11 \times \Phi 20 \times 2$	54	63	Hex Key S=3/16	1
47	Flat Washer $\Phi 11 \times \Phi 30 \times 2$	8	64	Mushroom Plug $\Phi 32$	2
48	Nylon Lock Nut M10	34	65	Plug $\Phi 25$	2
49	Nylon Lock Nut M12	6	66	Self-plugging Rivet	4
50	Half-Pulley Cover	8	67	Lube	1
51	3.5" Pulley Cover	8	68	Aluminium Cap	2
52	Rubber Cap	4	69	Flat Head Cap Screw M10*40	2
53	Hex Key S=6	1	70	Nut	2


# Exploded View




# Measurement Guide




BHCS = Button Head Cap Screw




SHCS = Socket Head Cap Screw




FHCS = Flat Head Cap Screw



HHB = Hex Head Bolt



Millimeters



Inches

## Assembly Instructions

Assembly of the equipment takes professional installers about 2 hours. If this is the first time you have assembled this type of equipment, plan to spend more time. It is strongly recommended to assemble the equipment by professional installers. You may find it quicker, safer, easier to assemble this equipment with the help of a friend, as some of components may be large, heavy or awkward to handle alone. It is important that you assemble your product in a clean, clear, uncluttered area. This will enable you to move around the product while you are fitting components and reduce the possibility of injury during assembly.



### **Note**

As with any assembled part, proper alignment and adjustment is critical. While tightening the fasteners, be sure to leave room for adjustments. Do not fully tighten the fasteners until instructed to do so. Be careful to assemble the components in the sequence presented in this guide.

# Assembly

## STEP 1

1. Slide right slide frame (#7) onto slide guide tube (#5) as shown and lock into one of the holes in tube.
2. Attach inner base (#1), main base (#2), middle base (#3), slide guide tube (#5) using:

two M10\*65 HHB (#40)

four  $\Phi 13*\Phi 24*1.5$  washers (#45)


two M10 nylon lock nuts (#48)

two M12\*80 HHB (#35)

four  $\Phi 11*\Phi 20*2$  washers (#46)

two M12 nylon lock nuts (#49)

**NOTE:** Hand tighten bolts and nylon nuts until STEP 6.



# Assembly

## STEP 2

1. Slide left slide frame (#6) onto slide guide tube (#5) as shown and lock into one of the holes in tube.
2. Attach inner base (#1), main base (#2), middle base (#3), slide guide tube (#5) using:

two M10\*65 HHB (#40)

two M12\*80 HHB (#35)


four  $\Phi 13*\Phi 24*1.5$  washers (#45)

four  $\Phi 11*\Phi 20*2$  washers (#46)

two M10 nylon lock nuts (#48)

two M12 nylon lock nuts (#49)

**NOTE:** Hand tighten bolts and nylon nuts until STEP 6.



# Assembly

## STEP 3

1. Attach top cross tube (#4) with main base (#2) using:

four M10\*65 HHB (#40)

eight  $\Phi 11*\Phi 20*2$  washers (#46)

four M10 nylon lock nuts (#48)

**NOTE:** two people will be needed to complete this step safely.

2. Attach top cross tube (#4), large metal plate (#13) with chin-up handle (#12)

using:


two M10\*115 HHB (#41)

two  $\Phi 11*\Phi 30*2$  washers (#47)

two  $\Phi 11*\Phi 20*2$  washers (#46)

two M10 nylon lock nuts (#48)

**NOTE:** Hand tighten bolts and nylon nuts until STEP 6.







# Assembly

## STEP 6

1. Attach left support (#9), right support (#10) to each side of frame and secure with:

six M10\*130 HHB (#42)

six  $\Phi 11*\Phi 20*2$  washers (#46)

four  $\Phi 11*\Phi 30*2$  washers (#47)


four M10 nylon lock nuts (#48)

2. TIGHTEN ALL BOLTS AND NUTS before continuing!

3. Once all bolts and nuts are tightened, then attach weight shroud (#14) to middle base (#3) with:

sixteen M10\*15 BHCS (#37)

sixteen  $\Phi 11*\Phi 30*2$  washers (#46)



# Assembly

## STEP 7

Attach two ABS board (#59) to each side of main base (#2) using:


twelve M5\*16 FHCS (#57)

six  $\Phi 5.5 \times \Phi 12 \times 1$  washers (#60)









six connect shaft (#58)

six plastic washers (#61)







six bolt covers (#62)



# Exercise Instructions



## Exercise Instructions



(Adjust weight according to the select pin)

### Specifications

Class: S

Maximum Wt. Capacity: 2×91Kg/ 200lbs.

Maximum Load of Trainer: 150Kg/ 330lbs.

## Maintenance Schedule

ROUTINE	COMMERCIAL MAINTENANCE	HOME MAINTENANCE	LATEST DATE ENTRY						
Inspect; Links, Pull Pins, Snap Locks, Swivels, Weight Stack Pins	DAILY	WEEKLY							
Clean; Upholstery	DAILY	WEEKLY							
Inspect; Cables or Belts and their tension	DAILY	WEEKLY							
Inspect; Accessory Bars, and Handles	WEEKLY	3 MONTHS							
Inspect; All Decals	WEEKLY	3 MONTHS							
Inspect; All Nuts and Bolts, Tighten if needed	WEEKLY	3 MONTHS							
Inspect; Anti-Skid Surface	WEEKLY	3 MONTHS							
Clean & Lubricate; Guide Rods with a Teflon (PTFE) based lubricant (Superlube)	MONTHLY	3 MONTHS							
Lubricate; Seat Sleeves, Turcite Bushings, Linear Bearing	MONTHLY	3 MONTHS							
Clean and Wax; All Glossy Finishes	6 MONTHS	YEARLY							
Repack with Grease; Linear Bearings	6 MONTHS	YEARLY							
Replace; Cables, Belts and Connecting Parts	YEARLY	3 YEARS							

*Your equipment comes with a commercial maintenance decal. For personal, in home use, please follow the home maintenance schedule listed above.*

## General Maintenance Information

### **Links, Pull-Pins, Snap Hooks, Swivels, Weight Stack Pins:**

- \*Check all pieces for signs of visible wear or damage.
- \*Check springs in snap hooks and pull-pins for proper tension and alignment.
- \*If the spring sticks or has lost its rigidity, replace it immediately.

### **Upholstery:**

- \*To ensure prolonged upholstery life and proper hygiene, all upholstered pads should be wiped down with a damp cloth after every workout.
- \*Periodically take the time to use a mild soap or an approved vinyl upholstery cleaner to deter the onset of cracking or drying. Avoid using any abrasive cleaners or cleaners not intended for use on vinyl.
- \*Replace ripped or worn upholstery immediately.
- \*Keep sharp or pointed objects clear of all upholstery.

### **Decals:**

- \*Inspect and familiarize yourself with any safety warnings or other user information posted on each decal.

### **Nuts and Bolts:**

- \*Inspect all nuts and bolts for any loosening and tighten if needed.
- \*Go through a re-tightening sequence periodically to ensure that all hardware is tensioned proper.

### **Anti-Skid Surfaces:**

- \*These surfaces are designed to supply secure footing and need to be replaced if they appear worn or become slippery.

### **Belts and Cables:**

- \*We use only high quality belt, and mil-spec cables.
- \*Visually inspect the belts and cables for fraying, cracking, peeling or discoloration.
- \*While the machine is not in use, carefully run your fingers along the belt or cable to feel for thinning or bulging areas.
- \*Replace belts and cables immediately at the first signs of damage or wear. Do not use equipment until belts or cables have been replaced.

### **Belt and Cable Tension:**

- \*Referring to the Owners Manual, when belts or cables are used check all bolt attachments to be sure they are properly attached.
- \*Check slack in cables and re-adjust cable tension if needed.

### **Seat Sleeves, Guide Rods:**

- \*Wipe down adjusting tubes with a dust free rag before applying lubricant.
- \*Lubricate seat sleeves and Guide Rods with a Silicon or Teflon based lubricant spray.

### **Linear Bearings:**

- \*Referring to the Owners Manual carefully disassemble the bearing from its housing and place a finger full of light grease (lithium, super lube, etc.) into the inside of the bearing. Using your finger, press the grease into the ball-bearings and their tracks. Repeat until the ball-bearing tracks are full of grease. Insert the shaft back into the bearing and wipe off excess grease.

**PLEASE KEEP THIS FOR YOUR RECORDS**

## Weight Training Tips

Use this manual to guide you through the basic exercises you can perform on your equipment. To gain maximum results and avoid possible injury, consult a fitness professional to develop your complete exercise program.

Always consult your physician before starting any exercise program.

To be successful in your exercise program, it is important to develop an understanding of the basic principles of strength training. Now that you have your equipment, it is only natural that you want to get started immediately. First, determine a set of realistic goals and objectives for yourself. By deciding on an exercise plan that is right for you prior to starting, you will contribute significantly to your success.

Warm up properly before engaging in weight resistance training. Stretching, yoga, jogging, calisthenics or other cardiovascular exercise can help prepare your body for the heavier workload of lifting weights.

Learn how to perform the exercise correctly before using heavy weight. Correct form is important to avoid injury and to ensure that you work the proper muscle groups.

Know your limitations. If you are new to weight training or are embarking on an exercise regimen after a long layoff, start slowly and build foundational strength over a longer period of time.

Pay attention to your breathing. Exhale when you exert is a general rule of thumb. Never hold your breath.

